




System 6

Expanding Dowels

- Available in Ø5mm for panel-to-panel, panel-to-hollow profile and back-to-back applications
- Suitable for applications with all Titus Ø20 and Sys 6 housings
- 'Klix' locking feature provides a strong, vibration proof connection
- Depth stop collar for accurate insertion


 Technical and mounting details		D2		
Dowel		Drilling diameter for dowel thread	Item number	Dark grey
 D2= Ø5mm  ØD2 x 12.5		5	06408 →	880
 5000 Pcs Made of zinc, plastic				
Dowel Ø5 x 7.5 back-to-back applications   Ø5 x 7.5			06479 →	880
 5000 Pcs Made of zinc, plastic				

System 6

Quickfit-Expando


Dowel

- Available in Ø5mm thread forms for screw-in, knock-in and/or 'spiked' hole applications
- Suitable for applications with all Titus Ø20mm and Sys 6 housings
- 'Klix' locking feature provides a strong, vibration proof connection
- Dowels feature an integral skirt which acts as a positive stop during insertion



Technical and mounting details

Dowel Ø5



C	Drilling depth for dowel thread	Item number				
			Zinc	Steel		
			9	06401 →	885	
			8	06402 →	885	883
11.5	06406 →	885	883			



4500 Pcs (steel)
5000 Pcs (zinc)




Made of zinc or steel

System 6

Double-ended Dowels

End Dowels

- For 16mm, 18mm and 19mm board
- Suitable for applications with all Titus Ø20mm and Sys 6 housings
- ‘Klix’ locking feature provides a strong, vibration proof connection

		B			
Technical and mounting details		Panel thickness	Item number	Steel	Zinc
Double-ended dowel 	 	16	06414 →		885
		19	06416 →		885
 2500 Pcs	Made of zinc				
Double-ended dowel	 	19	06389 →	883	
 2500 Pcs	Made of steel				


System 6

20mm Knock-in Housing


Non-outrigger


- Available in 15mm/16mm and 18mm/19mm versions for drop-on and/or side-entry applications
- Available in all-metal or plastic/metal options
- 'Klix' locking feature provides a strong vibration proof connection
- Compatible with all Sys 6 screw-in and Quickfit dowels


Technical and mounting details											
e	B	D	Item number	Maple	Brown	Light grey	Black	White	Silver	Nickel plated	
7.75	15/16	12.5	06381 →	841	898		835	877	861		
9.25	18/19	14	06385 →	841	898		835	877			
Other colors on request											





Side-entry 















2500 Pcs


Made of plastic


7.75	15/16	12.5	06383 →	841	898	882	835	877		
9.25	18/19	14	06387 →	841	898	882	835	877	861	
Other colors on request										




Drop-on 










2500 Pcs


Made of plastic

7.75	15/16	12.5	06447 →							847
9.25	18/19	14	06449 →							847
Other colors on request										



Drop-on








500 Pcs


Made of zinc


System 6

20mm Knock-in Housing Outrigger

- Available in 15mm/16mm and 18mm/19mm versions for drop-on and/or side-entry applications
- Available in all-metal or plastic/metal options
- 'Klix' locking feature provides a strong vibration proof connection
- Compatible with all Sys 6 screw-in and Quickfit dowels

 Technical and mounting details											
e	B	D									
Panel thickness	Drilling depth		Item number	Maple	Brown	Light grey	Black	White	Silver	Nickel plated	
9.25	18/19	14	06395 →	841	898		835	877	861		
Other colors on request											
 											
 1250 Pcs				Made of plastic							






Drop-on   				7.75	15/16	12.5	06439 →	841	898	882	835	877	
				9.25	18/19	14	06397 →	841	898	882	835	877	861
Other colors on request													
 1250 Pcs				Made of plastic									

Drop-on  				7.75		12.5	06455 →						847
				9.25		14	06457 →					847	
 500 Pcs				Made of zinc									

System 6

Wedgefix Housing (no Inner Cam)

- Available in 12mm, 15mm/16mm and/or 18mm/19mm versions for Quickfit-6 and/or Standard Dowel applications
- Available in a variety of plastic colors
- Wedgefix-6 housing allows easy customer hand-assembly or factory automated insertion
- When used with Quickfit-6 dowels this provides a true tool-less fastening system

Technical and mounting details		B	D			
		Panel thickness	Drilling depth	Item number	White	Black
 For use with screw-in dowels    2500 Pcs Made of plastic		15/16	12.5	06473 →	877	835
		18/19	14	06465 →	877	835
		Other colors on request				
 For use with Quickfit dowels    2500 Pcs Made of plastic		15/16	12.5	06471 →	877	835
		18/19	14	06472 →	877	835
		Other colors on request				


System 6

Flush 20mm Knock-in Housing Non-outrigger





For use with dedicated drill bit only.
See below.

- A face-boring connector with the flush housing permits easy flat-pack transportation without panel damage
- Available for 19mm board thickness for drop-on and/or side-entry applications
- 'Klix' locking feature provides a strong vibration proof connection
- Compatible with all Sys6 screw-in and Quickfit dowels



Technical and mounting details



Side-entry



1000 Pcs

Housing made of plastic, cam made of zinc

Drop-on



1000 Pcs



Housing made of plastic, cam made of zinc

Drill bit for Flush 20mm
Knock-in housing



right handed

left handed



1 Pcs



Made of carbon steel

e	B	D	Item number	White plastic
9.5	Panel thickness	Drilling depth		
19	19	14.2	06343 →	877
9.5	19	14.2	06348 →	877
			0435	
			0436	

System 6.S

20mm Knock-in Housing

- Available in 15mm/16mm and 18mm/19mm versions for drop-on and/or side-entry applications
- Available in plastic-metal options
- 'Klix' locking feature provides a strong vibration proof connection
- Compatible with all Sys screw-in and Quickfit dowels

		Technical and mounting details												
Side-entry 				e	B	D								
				Panel thickness	Drilling depth	Item number	Maple	Brown	Light grey	Black	White	Silver	Nickel plated	
				7.75	15/16	12.5	006661 →	841	898	882	835	877	861	847
				9.25	18/19	14	006665 →	841	898	882	835	877	861	847
Product available on American and Asian market only														
Other colors on request														