

Simply Titus

Product Highlights

Simply Titus

For more than half a century, our passion for engineering has shaped everything we do.

We design components that improve our customers' competitiveness with precision, efficiency, and durability – where it matters most.

Our commitment is clear: partnerships built to last, products made to perform.

Concealed Hinges



ConfidentClose - consumer preferred soft closing



Highly tolerant



200,000 cycles
of consistent performance



3Way snap-on mounting



T-type Hinge

Reliable and consistent performance throughout the cabinet's lifetime

T-type hinge is engineered for enhanced stability and consistent damping across a wide range of door sizes and weights.

Its robust, highly tolerant design ensures reliable door performance, even in cases of accidental misalignment.

With 3Way snap-on mounting, the hinge can be installed quickly and easily from three directions - even when using four or more hinges - significantly reducing assembly time.

T-type is available in a classic nickel-plated finish or Noir, a contemporary dark finish.

T-type PressTo

Quick and easy tool-less mounting

- Reliable attachment to chipboard, MDF or solid wood doors
- Effortless snap-on locking
- Confident locking action
- Paired with 3Way hinge-to-plate mounting for fast cabinet assembly



T-type-i 170

Wide opening hinge with integrated damper

- Zero door protrusion at 90° opening
- Ideal for kitchen pantry units with inner drawers or pull-out systems
- Exceptional stability and full cabinet accessibility



T-type Noir

Trendy dark finish that reduces the prominence of hardware in cabinets.

- Discreet elegance
- Versatility
- Applied on selected Titus products



T-type Pie-cut

Double lock hinge opening

- Standard Ø35mm hinge cup drilling
- Easy door gap alignment
- Full cabinet access with a 70° door opening



Drawer Systems



Enhanced front panel engagement



Smooth and effortless performance



3D drawer front alignment



Push-to-open compatible



Tekform Slimline+ Drawer

Easy to install

Tekform Slimline+ drawer combines improved functionality with effortless adjustment. Its 3D adjustment mechanism enables precise height, side, and tilt adjustments, all accessible from the front of the drawer.


The upgraded clipping mechanism ensures reliable front panel engagement and easy disengagement.

Titus damper inside

Equipped with our latest ART damper, Slimline+ delivers smooth, controlled movement, effortless drawer opening, and lifelong consistent damping.

3D drawer front alignment

- Simple, colour-coded adjustment
- Front-mounted adjustment mechanism for convenient access
- Precise height, side, and tilt adjustment



Trax-V

Versatile undermount runner

- Smooth, effortless drawer opening
- Consistent damping with ConfidentClose
- Reliable performance up to 40kg on single and full extension
- Available for wooden drawers and Tekform Vitek metal sides



Tekform Vitek

Ultra-thin drawer sides


- Maximised storage capacity
- Intuitive assembly for faster installation
- Compatible with Trax-V runners
- Precise 3D front adjustment for easy alignment



Tacto 2.0

Push-to-open system

- Quick and easy mounting
- One-for-All: one Tacto for drawers up to 40 kg
- Narrow 1.5 mm operating gap for evenly aligned fronts
- Easy opening and reliable closing



TouchControl

Engineering expertise in
push-to-open solutions



Soft and silent push opening



Door gap adjustment



SafeGuard mechanism for added safety



Three mounting options



Push Latch S3

Soft push opening

The integrated damper controls the door's opening movement, ensuring a soft, silent performance without rebound.

Consistent activation

To maintain consistent performance across different cabinet setups, the door gap adjustment feature allows precise fine-tuning of the push mechanism and reliable activation.

Built-in safety

The SafeGuard mechanism on the adjustment button prevents removal, supporting safety in use.

Compact, discreet and versatile

Push Latch S3 supports three mounting styles - drill-in, surface-mounted and routed-in - making it suitable for a wide range of cabinet designs and installation techniques.



Push Latch S2

Soft push-opening solution for handleless doors

- Soft and silent push opening
- Safety detachment
- Depth adjustment
- Compatible with damped and non-damped hinges



Push Latch

Push-opening solution for handleless doors and drawers

- Intuitive mounting
- Depth adjustment feature
- Safety detachment mechanism




Tacto 2.0

Custom push-to-open system

Tacto is a mechanical push-to-open system designed specifically for hardware manufacturers of waste bins, laundry hampers, and wire baskets.

- Precise fine-tuning to specific application
- Quick and easy mounting
- Narrow 1.5mm operating gap for uniform front alignment



Push Trio

Push-opening and damping solution for pocket doors

- Fully retractable pocket sliding doors
- Consistent and reliable damping
- Light push to activate
- Efficient fine-tuning to customer's specific needs



Cabinet Connectors



Strong and reliable joint in MDF, solid wood and chipboard



High drilling tolerances



Tool-free insertion technology for 5mm dowel holes



Designed for factory insertion



Quickfit TL5 'Full Metal Jacket'

High-performance dowel with great resistance to pull-out

The Quickfit TL5 "Full Metal Jacket" dowel is engineered for high resistance to torsion and dowel pull-out. Designed to deliver maximum strength and reliability, it performs effectively across a wide range of wood-based materials, including MDF, chipboard, and solid wood.

Effortless assembly, reliable strength

With its tool-free insertion, the TL5 simplifies cabinet assembly while ensuring rigid, long-lasting construction that won't loosen over time. Its unique expandable metal sleeve provides secure engagement in a standard 5mm dowel hole, making it the ideal solution for RTA cabinet furniture.



Cam5000

- Highly resistant joint for stronger cabinet construction
- Great dowel pull-up
- Effective performance in a wider tolerance range
- Smooth tightening action



System 6.2

Strong connection, efficient cabinet assembly

- Fast assembly with tool-less Quickfit dowel
- Comfortable tightening with Angledriv feature
- Efficient square design
- Face-boring for limited drilling capabilities




Cabinet Assembly Technology

Titus FastFit

Up to 50% faster home cabinet assembly

With the Titus FastFit machine, standard Titus cams and Quickfit TL dowels are pre-inserted into furniture panels directly at the factory. Pre-insertion speeds up cabinet assembly, as the consumer only needs to join the panels and tighten the fittings, reducing cabinet assembly time by up to 50% compared with conventional assembly.



Titusonic

Cleand and fast cabinet assembly

Titusonic® is an ultrasonic welding technology for wooden cabinets, delivering exceptional strength, speed, and reliability without adhesives.



Shelf Q-Peg

Structural stability behind minimalist design

- Minimalist aesthetic
- Quick, tool-free installation
- Increased structural stability



Cabinet hardware



Architectural



Home and commercial appliances



Automotive and aerospace



Sanitary equipment



Health and recreation



Cold/hot environment friendly




Fully controllable damping curve



Force and performance consistency




Titus Damping Technology



- **Cold/hot environment friendly:** efficient performance in an extended temperature range
- **Fully controllable damping curve** enables performance fine-tuning for specific applications
- **Force and performance consistency** throughout the whole lifecycle across a wide range of applications and closing speeds
- **Modular design** enables quick customisation

Slidix - Sliding Door Damping Systems



A comprehensive range of damping solutions for applications in internal sliding door systems, wardrobes and refrigerators.


With hydraulic damping technology it offers a fully controllable damping curve, defining forces and their distribution very precisely over the whole damping cycle.

The damper's stroke assures efficient damping at any closing speed, providing consistent performance for any application from up to 150kg with smooth soft closing and reduced rebound.


Wide Range of Applications




Architectural doors



Cabinet furniture



Pocket doors



Bathroom

Engineered for Purpose

Titus is committed to providing its customers with products and services that improve their competitiveness, while reducing manufacturing and assembly costs.



Titus Group / titusplus.com

