


Push Latch S3

For all door types



Push Latch S3 with housing

Tehnickal details

Item number

Dusty white

Anthracite



Black

915-9277 →


356

383


390



Linear mounting plate




Set consists of:




200 Sets Made of plastic

Fixing screws for mounting plates




Euro screws
821-6323-050
5000 Pcs




Chipboard screws
820-6328-050
10000 Pcs

- Soft, silent and bounceless performance
- Depth adjustment ensures reliable closing and consistent performance
- 'Safety click' feature for easy detachment of the mechanism from its mounting plate
- Lip on the mounting plate assures accurate positioning




Door gap
adjustment
+3.5/-0mm


Drilling pattern





Mounting



Door gap adjustment




Adjustment
+3.5/-0mm



Activation gap
required

min. 2mm

Positioning




Mounting position close to the 'touch opening point'
on the side opposite to hinges.

For application on cabinets with more than 2 hinges and
cabinets with narrow doors we recommend a trial mounting.

Push Latch S3

For all door types




Tehnickal details

Item number	Dusty white	Anthracite	Black

Push Latch S3 drill-in


915-9276 →	356	383	390
------------	-----	-----	-----



 200 Pcs Made of plastic

Push Latch S3 routed

915-9278 →	356	383	390
------------	-----	-----	-----



 200 Pcs Made of plastic


Drilling jig for Push Latch S3 drill-in




915-9900-072

 1 Pc


- Soft, silent and bounceless performance
- Depth adjustment ensures reliable closing and consistent performance







Drilling pattern




Mounting



Door gap adjustment



Positioning



Mounting position close to the 'touch opening point' on the side opposite to hinges.

For application on cabinets with more than 2 hinges and cabinets with narrow doors we recommend a trial mounting.