



# Tekform Slimline+ Drawer

# Tekform Slimline+ Drawer




## Swift assembly with enhanced front panel engagement

- Improved front panel connection ensures secure engagement and effortless disengagement



## 3D drawer front alignment with easy access

- Convenient front access for side, height, and tilt adjustment
- Colour-coded adjustment cams for easy identification
- Ensures uniform gap layouts for evenly aligned drawer fronts



## Tilt adjustment

- Accessible at the front of the drawer side
- For an intuitive drawer front positioning through the mechanical stop




### Smooth and effortless performance

- Titus Damper Inside with ART function for smooth and controlled movement, regardless of the closing speed
- Low pull-out force
- Optimal closing performance and life-long consistent damping



### Push-to-open compatibility for handleless cabinets

- Intuitive mounting without pre-drilling
- One-for-all: one mechanism for all Tekform Slimline+ drawers from 350mm onwards
- Easily adjustable push-to-open activation with only 1.5mm gap to operate
- Same runner for standard and push-to-open application







### EasyFix front panel attachment

- Simple hand insertion
- Comfortable locking action at 90° turn of screwdriver
- Expando function for firm and reliable front attachment

# Tekform Slimline+ Drawer


## Product Guide

				Page
<b>Tekform Slimline+ Drawer</b>		Side material	Drawer type	
Tekform Slimline+ drawer DW70		Metal	Soft closing Push-to-open compatible	3.13
Tekform Slimline+ drawer DW100		Metal	Soft closing Push-to-open compatible	3.15
Tekform Slimline+ drawer DW145		Metal	Soft closing Push-to-open compatible	3.17
Tekform Slimline+ drawer DW182		Metal	Soft closing Push-to-open compatible	3.19

Page


## Inner Drawer Front for Tekform Slimline+ Drawer

Inner drawer front for Tekform Slimline+ Drawer DW70




3.21

Inner drawer front for Tekform Slimline+ Drawer DW145 with bar



3.23

Inner drawer front for Tekform Slimline+ drawer DW182 with bar




3.25

## Accessories

Tacto 2.0	3.27
Marking jig	3.28
Steel back panel	3.29

## Tekform Slimline Drawer

Tekform Slimline drawer DW45



Side material	Drawer type	
Metal	Soft closing Push-to-open compatible	3.31

# Tekform Slimline+ Drawer Information

## Technical Guide

### How to choose the appropriate drawer dimension?


Select the drawer size based on the available cabinet space. Please refer to the chart below, which indicates the

minimum space required in the cabinet to choose the appropriate drawer system.

NL = Tekform Slimline+ drawer nominal length (mm)

NL	270	300	350	400	450	500	550
----	-----	-----	-----	-----	-----	-----	-----

	Tekform Slimline+ drawer	
	Min. height H required	Cabinet depth D
<b>Tekform Slimline+ drawer DW70</b>	115mm	NL + min. 3mm
<b>Tekform Slimline+ drawer DW100</b>	147mm	NL + min. 3mm
<b>Tekform Slimline+ drawer DW145</b>	198mm	NL + min. 3mm
<b>Tekform Slimline+ drawer DW182</b>	230mm	NL + min. 3mm




### How to fix drawer sides to the front panel?

The Tekform Slimline+ drawer is available with EasyFix or screw-in front connectors




#### Screw-in front connector

- reliable connection
- fixing with Ø3.5x15mm screws (screws are not included)



#### EasyFix front connector

- hand insertion
- quarter turn locking system
- expandable dowel
- easy assembly and disassembly of front panel



## Planning

### Bottom panel and back panel cutting dimensions

Dimensions of bottom and back panel depends on:


- cabinet width
- nominal drawer length
- drawer height

NL = Tekform Slimline+ drawer nominal length (mm)

NL	270	300	350	400	450	500	550
----	-----	-----	-----	-----	-----	-----	-----

Cabinet width


ECW: External cabinet width  
ICW: Internal cabinet width  
NL: Nominal length of drawer




### Back panel cutting dimensions

Back panel height depends on the selected drawer height

	K
<b>DWD70</b>	68
<b>DWD100</b>	100
<b>DWD145</b>	151
<b>DWD182</b>	183



### Bottom panel cutting dimensions



NL	270	300	350	400	450	500	550
<b>L</b>	260	290	340	390	440	490	540
<b>L<sub>st</sub></b>	250	280	330	380	430	480	530

NL = Slimline+ drawer nominal length (mm)

L = Length in case of wood back panel

L<sub>st</sub>: Length in case of steel back panel

\*For drawers with steel back panel L = NL - 20

# Tekform Slimline+ Drawer Information


## Technical Guide

### How to choose the appropriate drawer runner fixing positions?

The drawer's fixing position depends on its functional placement.


### Tekform Slimline+ drawer front positioned outside the carcass

When the drawer front is positioned outside the carcass, use the third hole on the drawer runner for fixing.




### Tekform Slimline+ drawer front positioned inside the carcass

When the drawer front is positioned inside the carcass, use the second hole on the drawer runner for fixing.



### Load capacity


Drawer load capacity is 40 kg.



### Expanded tolerances

Tekform Slimline+ drawer provides wider tolerances in cabinet construction and assures:

- precise drawer alignment
- smooth and silent operation
- improved drawer stability in open position
- Tekform Slimline+ drawer provides a tolerance of +/- 1mm on bottom panel width size



bottom panel width tolerance +/- 1mm




Adjustment needs to be done on both sides of the drawer

## Adjustments



### How to adjust the drawer front panel?

The Tekform Slimline+ drawer offers effortless three-dimensional front panel alignment, providing convenient access for side, height, and tilt adjustment positioned

at the front of the drawer side. Enhanced with colour-coded adjustment cams, for easy identification and precise alignment, guaranteeing uniform gap layouts.




### Side adjustment





Side adjustment is done by rotating the grey coloured cam adjuster on the drawer side.

### Height adjustment



Height adjustment is done by rotating the red coloured cam adjuster on the drawer side.

### Tilt adjustment




Tilt adjustment is done by rotating the yellow coloured cam adjuster on the drawer side.

# Tekform Slimline+ Drawer Information


## Key Design Choices

### ConfidentClose


Fast closing



Late start of damping



Quiet landing




### CAF Consumer Assembly Friendliness

EasyFix front panel connector with expandable dowels provides:


- Quick, toolless insertion
- Quarter turn lock
- Repeatable assembly and disassembly

Front connector



Compatible with Tacto push-opening system:

- For convenient, handle-free opening
- Same runner for both, standard and Tacto push-to-open applications
- The Tacto mechanism can be simply added as a retrofit option at any time after the drawer assembly
- For all drawers from a 300mm nominal length onwards



## Titus Damper inside

Designed and produced in-house

- Reliable and consistent lifelong damping
- Smooth closing
- Consistent damping performance guaranteed across high-volume production runs
- 100% automated quality check



## Damping action

Even and smooth soft closing action

- Soft and reliable closing



Flat damping curve shows the uniform action produced during damper closing at a defined speed.

## Response to speed


Response to speed defines the increase in damping force in relation to the closing speed of the damping object.

### Standard



The damping force increase is approximately linear to the increasing speed of closing.

### ART - Adaptive Response Technology


Adaptive Response Technology fine-tunes the damper's performance and damping force by adjusting to the drawer's weight and speed. It provides smooth and reliable damping at any closing speed, while reducing the force needed to open the drawer.





# Tekform Slimline+ Drawer DW70



## Cutting dimensions details



ECW: External cabinet width  
ICW: Internal cabinet width  
NL: Nominal length of drawer  
L<sub>st</sub>: Length in case of steel back panel



$L = NL - 10$   
 $L_{st} = NL - 20$   
For further explanation → see page 3.8



4 sets

Nominal length (mm)	with Screw-in front connector 		
		White	Anthracite
270	656-8352 →	150	185
300	656-8353 →	150	185
350	656-8354 →	150	185
400	656-8356 →	150	185
450	656-8357 →	150	185
500	656-8358 →	150	185
550	656-8359 →	150	185

## One set consists of

Drawer sides		2 pcs
Drawer runners		2 pcs
Front connectors		2 pcs
Rear connectors		2 pcs
Decorative covers		2 pcs
Mounting instructions		1 pc/4 sets

## Push opening



Tacto Slimline Mechanism  
→ see page 3.27

## EasyFix front connector




656-0H66-380-00

 400 Pcs

- Drawer runner type
- Load capacity
- Minimum height space required
- Wooden back panel thickness
- Wooden bottom panel thickness

full extension  
40 kg  
115mm  
16mm  
16mm





**i** Works with Tacto Push Opening Mechanism  
→ see page 3.27

For further explanation → see page 3.10


Installation dimensions and drillings

Drawer runner fixing positions


Front panel




NL=270mm  
NL=300mm  
NL=350mm  
NL=400mm  
NL=450mm



Back panel





NL=500mm  
NL=550mm




Assembly instructions, adjustments





# Tekform Slimline+ Drawer DW100



## Cutting dimensions details



ECW: External cabinet width  
ICW: Internal cabinet width  
NL: Nominal length of drawer  
L<sub>st</sub>: Length in case of steel back panel




$L = NL - 10$   
 $L_{st} = NL - 20$   
For further explanation → see page 3.8



4 sets

Nominal length (mm)	with Screw-in front connector 		
		White	Anthracite
270	656-8360 →	150	185
300	656-8361 →	150	185
350	656-8362 →	150	185
400	656-8363 →	150	185
450	656-8364 →	150	185
500	656-8365 →	150	185
550	656-8366 →	150	185

## One set consists of

Drawer sides		2 pcs
Drawer runners		2 pcs
Front connectors		2 pcs
Rear connectors		2 pcs
Decorative covers		2 pcs
Mounting instructions		1 pc/4 sets

## Push opening



Tacto Slimline Mechanism  
→ see page 3.27

## EasyFix front connector




656-0H66-380-00

 400 Pcs

- Drawer runner type
- Load capacity
- Minimum height per drawer required
- Wooden back panel thickness
- Wooden bottom panel thickness

full extension  
40 kg  
147mm  
16mm  
16mm





**i** Works with Tacto Push Opening Mechanism  
→ see page 3.27

For further explanation → see page 3.10


Installation dimensions and drillings

Drawer runner fixing positions


Front panel




NL=270mm  
NL=300mm  
NL=350mm  
NL=400mm  
NL=450mm



Back panel





NL=500mm  
NL=550mm




Assembly instructions, adjustments





# Tekform Slimline+ Drawer DW145



## Cutting dimensions details



ECW: External cabinet width  
ICW: Internal cabinet width  
NL: Nominal length of drawer  
L<sub>st</sub>: Length in case of steel back panel



$L = NL - 10$   
 $L_{st} = NL - 20$   
For further explanation → see page 3.8



4 sets

Nominal length (mm)	with Screw-in front connector 		
		White	Anthracite
270	656-8367 →	150	185
300	656-8368 →	150	185
350	656-8369 →	150	185
400	656-8370 →	150	185
450	656-8371 →	150	185
500	656-8372 →	150	185
550	656-8373 →	150	185

## One set consists of

Drawer sides		2 pcs
Drawer runners		2 pcs
Front connectors		2 pcs
Rear connectors		2 pcs
Decorative covers		2 pcs
Mounting instructions		1 pc/4 sets

## Push opening



Tacto Slimline Mechanism  
→ see page 3.27

## EasyFix front connector




656-0H67-380-00

 400 Pcs

- Drawer runner type
- Load capacity
- Minimum height per drawer required
- Wooden back panel thickness
- Wooden bottom panel thickness

full extension  
40 kg  
198mm  
16mm  
16mm





**i** Works with Tacto Push Opening Mechanism  
→ see page 3.27

For further explanation → see page 3.10


Installation dimensions and drillings

Drawer runner fixing positions


Front panel




NL=270mm  
NL=300mm  
NL=350mm  
NL=400mm  
NL=450mm



NL=500mm  
NL=550mm



Back panel





Assembly instructions, adjustments




A trial mounting is always recommended.  
For further information please contact your  
Titus Group representative.



# Tekform Slimline+ Drawer DW182



## Cutting dimensions details



ECW: External cabinet width  
 ICW: Internal cabinet width  
 NL: Nominal length of drawer  
 L<sub>st</sub>: Length in case of steel back panel



$L = NL - 10$   
 $L_{st} = NL - 20$   
 For further explanation → see page 3.8



Nominal length (mm)	with Screw-in front connector 		
		White	Anthracite
270	656-8374 →	150	185
300	656-8375 →	150	185
350	656-8376 →	150	185
400	656-8377 →	150	185
450	656-8378 →	150	185
500	656-8379 →	150	185
550	656-8380 →	150	185

## One set consists of

Drawer sides		2 pcs
Drawer runners		2 pcs
Front connectors		2 pcs
Rear connectors		2 pcs
Decorative covers		2 pcs
Mounting instructions		1 pc/4 sets

Push opening



Tacto Slimline Mechanism  
 → see page 3.27

EasyFix front connector




656-0H67-380-00

 400 Pcs

- Drawer runner type
- Load capacity
- Minimum height per drawer required
- Wooden back panel thickness
- Wooden bottom panel thickness

full extension  
40kg  
230mm  
16mm  
16mm





**i** Works with Tacto Push Opening Mechanism  
→ see page 3.27

For further explanation → see page 3.10


Installation dimensions and drillings

Drawer runner fixing positions

Front panel





NL=270mm  
NL=300mm  
NL=350mm  
NL=400mm  
NL=450mm



NL=500mm  
NL=550mm

Back panel




Assembly instructions, adjustments




A trial mounting is always recommended.  
For further information please contact your  
Titus Group representative.

# Inner Drawer Front for Tekform Slimline+ Drawer DW70



Front panel



Cutting dimension L = ICW-105  
ICW → see page 3.22



20 pcs

Made of aluminium


Front bracket



50 sets

Made of aluminium and plastic


External cabinet width	Item number	White	Antracite grey	
		600	656-8048 →	511
1200	656-8053 →	511	515	
		656-8334 →	350	385




Installation dimensions

Drawer runner fixing positions


Cutting dimensions details




ECW: External cabinet width  
 ICW: Internal cabinet width  
 NL: Nominal length of drawer



NL=270mm  
 NL=300mm  
 NL=350mm  
 NL=400mm  
 NL=450mm




NL=500mm  
 NL=550mm



Assembly instructions, adjustments



# Inner Drawer Front for Tekform Slimline+ Drawer DW145 with Bar



Front bar



Cutting dimension L = ICW-94  
ICW → see page 3.24

 50 pcs

Made of aluminium

Front panel



Cutting dimension L = ICW-105  
ICW → see page 3.24

 20 pcs

Made of aluminium



Front bracket



 20 pcs

Made of aluminium and plastic

External cabinet width	Item number	Color	
		White	Antracite grey
600	656-8126 →	511	515
1200	656-8132 →	511	515
600	656-8048 →	511	515
1200	656-8053 →	511	515
	656-8337 →	350	385




For further explanation → see page 3.10


Installation dimensions

Drawer runner fixing positions


Cutting dimensions details




ECW: External cabinet width  
ICW: Internal cabinet width  
NL: Nominal length of drawer



- NL=270mm
- NL=300mm
- NL=350mm
- NL=400mm
- NL=450mm




- NL=500mm
- NL=550mm



Assembly instructions, adjustments



# Inner Drawer Front for Tekform Slimline+ Drawer DW182 with Bar



Front bar




Cutting dimension L = ICW-94  
ICW → see page 3.26

 50 pcs

Made of aluminium and plastic

Front panel



Cutting dimension L = ICW-105  
ICW → see page 3.26

 20 pcs

Made of aluminium



Front bracket



 20 sets

Made of aluminium and plastic

External cabinet width	Item number	Color	
		White	Antracite grey
600	656-8126 →	511	515
1200	656-8132 →	511	515
600	656-8048 →	511	515
1200	656-8053 →	511	515
	656-8341 →	350	385




For further explanation → see page 3.10


Installation dimensions

Drawer runner fixing positions


Cutting dimensions details




ECW: External cabinet width  
ICW: Internal cabinet width  
NL: Nominal length of drawer



- NL=270mm
- NL=300mm
- NL=350mm
- NL=400mm
- NL=450mm



- NL=500mm
- NL=550mm




Assembly instructions, adjustments



# TouchControl Solutions

## Tacto 2.0



Front gap adjustment  
-1.5/+3.5mm



"Push-to-Open"

- Intuitive mounting
- One-for-all – One item fits all Slimline+ drawers from NL=300mm
- Easily adjustable push-to-open activation with only 1.5mm gap to operate
- Easy opening, reliable closing



Technical details

Item number for set

Tacto 2.0

656-9220-383-K1



One set consists of

PushOpen Mechanism



2 pcs

Tacto Activator



2 pcs

Chipboard screws





4 pcs/set

Mounting instructions



1 pc/set



Assembly instructions, adjustments




 30 sets


Made of plastic

# Accessories

## Marking Jig




Marking jig for Tekform Slimline+ drawer DW70 and DW100



1 set

Made of plastic and steel

Marking jig for Tekform Slimline+ drawer DW145 and DW182



1 set

Made of plastic and steel

Item number

656-9339

Black


390



656-9340



390

# Accessories

## Steel Back Panel





	ECW	Cabinet side thickness 16mm	Cabinet side thickness 18mm		
				White	Anthracite
	External cabinet width (mm)				
<b>Steel back panel DW70</b> 	300	655-7L01	655-7L30	150	185
	400	655-7L02	655-7L40	150	185
	500	655-7L03	655-7L50	150	185
	600	655-7L04	655-7L60	150	185
	700	655-7L05	655-7L70	150	185
	800	655-7L06	655-7L80	150	185
	900	655-7L07	655-7L90	150	185
	1000	655-7L08	655-7L10	150	185
	1200	655-7L09	655-7L12	150	185
	 10 pcs      Made of steel				
<b>Steel back panel DW100</b> 	300	655-7F01	655-7F30	150	185
	400	655-7F02	655-7F40	150	185
	500	655-7F03	655-7F50	150	185
	600	655-7F04	655-7F60	150	185
	700	655-7F05	655-7F70	150	185
	800	655-7F06	655-7F80	150	185
	900	655-7F07	655-7F90	150	185
	1000	655-7F08	655-7F10	150	185
	1200	655-7F09	655-7F12	150	185
	 10 pcs      Made of steel				


	ECW	Cabinet side thickness 16mm	Cabinet side thickness 18mm		
				White	Anthracite
External cabinet width (mm)					
<b>Steel back panel DW145</b> 	300	655-7M01	655-7M30	150	185
	400	655-7M02	655-7M40	150	185
	500	655-7M03	655-7M50	150	185
	600	655-7M04	655-7M60	150	185
	700	655-7M05	655-7M70	150	185
	800	655-7M06	655-7M80	150	185
	900	655-7M07	655-7M90	150	185
	1000	655-7M08	655-7M10	150	185
	1200	655-7M09	655-7M12	150	185
	 10 pcs      Made of steel				
<b>Steel back panel DW182</b> 	300	655-7H01	655-7H30	150	185
	400	655-7H02	655-7H40	150	185
	500	655-7H03	655-7H50	150	185
	600	655-7H04	655-7H60	150	185
	700	655-7H05	655-7H70	150	185
	800	655-7H06	655-7H80	150	185
	900	655-7H07	655-7H90	150	185
	1000	655-7H08	655-7H10	150	185
	1200	655-7H09	655-7H12	150	185
	 10 pcs      Made of steel				

# Tekform Slimline DW45


## Shallow Drawer




### Cutting dimensions details



ECW: External cabinet width  
 ICW: Internal cabinet width  
 NL: Nominal length of drawer  
 $L_{st}$ : Length in case of steel back panel




$L_{st}$ : NL - 20  
 For further explanation  
 → see page 3.8

NL	with Screw-in front connector		
Nominal length (mm)			
		White	Anthracite
Item number for a set			
450	655-8046	150	185
500	655-8047	150	185
To be ordered separately Steel back panel			
600*	655-7273	150	185
* cabinet side thickness 18mm			
One set consists of			
Drawer sides		2 pcs	
Drawer runners		2 pcs	
*Front connectors		2 pcs	
Covers		2 pcs	
Mounting instructions		1 pc/4 sets	

Screws are not included

- Drawer runner type
- Load capacity
- Minimum height space required
- Back panel
- Wooden bottom panel thickness

full extension  
40 kg  
76mm  
steel  
16mm




Side  
adjustment  
+1/-1mm


**i** Works with or without  
Tacto Mechanism

Installation dimensions

Minimum space required for the cabinet





Drawer runner fixing positions



Drilling dimensions for the front panel

Screw-in attachment



A trial mounting is always recommended.  
For further information please contact your  
Titus Group representative.

